

**SPRAWOZDANIE Z BADAŃ NR 517397/26/GDY**

Zleceniodawca <b>HERO PRO LTD</b> Office 312b, 182-184 High Street North E6 2JA London		Próbkę (wg deklaracji Zleceniodawcy) Opis próbki: Ultra Omega KSW - 90softgels. Partia: UOKSW220526 Data produkcji: 01.05.2026 Data przydatności: 01.05.2029
Data przyjęcia próbki	<b>19.06.2026</b>	Stan próbki: bez zastrzeżeń Numer próbki: 517397/26/GDY  Próbkę otrzymana od Zleceniodawcy
Data rozpoczęcia badań	<b>19.06.2026</b>	
Data zakończenia badań	<b>27.06.2026</b>	
Data sprawozdania z badań	<b>27.06.2026</b>	

Rodzaj badania Metoda	Jednostka	Wynik
* Zawartość pierwiastków PN-EN 15763:2010		
Ołów (Pb)	mg/kg	< 0,010
Arsen (As)	mg/kg	0,012
Kadm (Cd)	mg/kg	< 0,0010
Rtęć (Hg)	mg/kg	< 0,0010
* Liczba drobnoustrojów w 30°C PN-EN ISO 4833-1:2013-12; PN-EN ISO 4833-1:2013-12/A1:2022-06	jtk/g	<1,0x10 <sup>1</sup>
* Liczba drożdży i pleśni w 25°C PN-ISO 7954:1999 (wycofana)	jtk/g	<1,0x10 <sup>1</sup>
* Obecność Escherichia coli w 1 g PN-ISO 7251:2006	w 1 g	Nie wykryto
* Obecność gronkowców koagulazo-dodatnich (Staphylococcus aureus i innych gatunków) w 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	w 1 g	Nie wykryto
* Obecność bakterii z rodzaju Salmonella spp. w 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	w 25 g	Nie wykryto
* Obecność Listeria monocytogenes w 25 g PN-EN ISO 11290-1:2017-07	w 25 g	Nie wykryto

Autoryzował sprawozdanie z badań:  
 ID: 106, Ekspert ds. Analiz, Pracownia Mikrobiologii  
 ID: 295, Ekspert ds. Analiz, Pracownia Spektrometrii

Sprawozdanie z badań opatrzone certyfikowaną pieczęcią elektroniczną J.S. Hamilton Poland Sp. z o.o.

Adres laboratorium:  
 Chwaszczyńska 180, 81-571 Gdynia

## SPRAWOZDANIE Z BADAŃ NR 517397/26/GDY

Wyniki odnoszą się wyłącznie do otrzymanych i badanych próbek. Laboratorium nie ponosi odpowiedzialności za sposób poboru próbek, warunki ich transportu oraz za informacje dostarczone przez Klienta, w tym dane mogące mieć wpływ na ważność wyników badań. Jeśli podano niepewność pomiaru i nie określono inaczej, to jest to niepewność rozszerzona, oszacowana dla współczynnika rozszerzenia  $k=2$  i poziomu ufności 95% oraz nie uwzględnia niepewności pobierania próbek. Jeśli dokonano stwierdzenia zgodności i nie określono inaczej J.S. Hamilton Poland Sp. z o.o. stosuje zasadę prostej akceptacji według wytycznych ILAC-G8:09/2019. Jeśli w dokumencie odniesienia wskazanym przez Zleceniodawcę nie określono kryterium dla danego badania lub badań w analizowanej matrycy, stwierdzenie zgodności nie jest możliwe. Jeżeli w kolumnie „wynik” przedstawiono zapis w postaci „<” lub „>” oznacza to, iż jest to rezultat badania, bezpośrednio powiązany z dolną lub górną granicą zakresu pomiarowego metody. Jeśli dla takiego rezultatu badania podana jest rozszerzona niepewność pomiaru, to dotyczy ona wyłącznie odpowiednio dolnej lub górnej granicy zakresu pomiarowego metody. W przypadku gdy Laboratorium opiera się na rezultacie badania, w kolumnie „stwierdzenie zgodności” przedstawia opinię i interpretację. Niniejsze sprawozdanie nie może być powielane w części bez pisemnej zgody J.S. Hamilton Poland Sp. z o.o. Odpowiedzialność J.S. Hamilton Poland Sp. z o.o. jest ograniczona wyłącznie do danych zawartych w jego oryginale. J.S. Hamilton Poland Sp. z o.o. nie zezwala na stosowanie symbolu akredytacji PCA AB 079 przez swoich klientów, podwykonawców, zewnętrznych dostawców usług i inne strony trzecie. Więcej informacji znajduje się w dokumencie PCA - DA-02. Usługa potwierdzona niniejszym sprawozdaniem podlega Ogólnym Warunkom Świadczenia Usług J.S. Hamilton Poland Sp. z o.o. zamieszczonym na stronie [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Badanie akredytowane

# Badanie wykonane przez zewnętrznego dostawcę

---

KONIEC SPRAWOZDANIA

**TEST REPORT NO 517397/26/GDY**

<b>Client</b> <b>HERO PRO LTD</b> Office 312b, 182-184 High Street North E6 2JA London		<b>Sample (according to declaration of Client)</b> Sample description: Ultra Omega KSW - 90softgels. Batch: UOKSW220526 Production date: 01.05.2026 Expiry date: 01.05.2029
Sample reception date	<b>19.06.2026</b>	Sample status: no objections Sample number: 517397/26/GDY  Sample received from the Client
Start of analysis	<b>19.06.2026</b>	
End of analysis	<b>27.06.2026</b>	
Test report date	<b>27.06.2026</b>	

Test Method	Unit	Result
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	< 0,010
Arsenic (As)	mg/kg	0,012
Cadmium (Cd)	mg/kg	< 0,0010
Mercury (Hg)	mg/kg	< 0,0010
* Aerobic colony count at 30°C PN-EN ISO 4833-1:2013-12; PN-EN ISO 4833-1:2013-12/A1:2022-06	cfu/g	<1,0x10 <sup>1</sup>
* Number of yeasts and moulds at 25°C PN-ISO 7954:1999 (withdrawn)	cfu/g	<1,0x10 <sup>1</sup>
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected
* Presence of Listeria monocytogenes in 25 g PN-EN ISO 11290-1:2017-07	in 25 g	Not detected

Test report authorized by:  
 ID: 106, Analysis Expert, Pracownia Mikrobiologii  
 ID: 295, Analysis Expert, Pracownia Spektrometrii

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.  
 Laboratory address:  
 Chwaszczyńska 180, 81-571 Gdynia

**TEST REPORT NO 517397/26/GDY**

The results refer only to the samples received and tested. The laboratory assumes no responsibility for the method of sample collection, the conditions of their transport, or for the information provided by the Client, including data that may affect the validity of the test results. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor  $k=2$  at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If no criterion for a given test or tests in the analyzed matrix has been specified in the reference document indicated by the Client, confirmation of compliance is not possible. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider

---

**THE END OF THE REPORT**